

Mounting: ceiling

Environment: indoor

Typical use: residential, hotels, restaurants, common areas, meeting rooms, shops, museums

OPTIC

Lighting effects: diffuse

Light output: -

CCT: -

Light source: 3x E27 (not included)

Nominal lifetime: 50'000h L80B20 (Ta 25°C)

ELECTRICAL DATA

Wattage: 3x E27 max 42W ES / 10W LED

Voltage: 220VAC

Power supply: -

WEIGHT & DIMENSIONS

Dimensions: Length 40cm Width 40cm Height 10cm

Ambient temperature range: -10 / +35°C

Materials: body: white painted metal
Opal Glass

Weight: 1 kg




E323E2 (opal)



Compact Glass ceiling L 40x40cm
designed by TI Lighting LAB

Ceiling lamp, dimensions 40x40cm, height 10cm, with high trasmittance ceramic glass diffuser with 45° glued corners. DIFFUSE light emission.


☐ BV White



CERTIFICATIONS



LIGHT EMISSION



OPTIONS

DIMMABLE DALI (Push)

Code:  not available

PHASE CUT

Code:  not available

STRUCTURE FINISHES


on request:
not available



Compact Glass ceiling L 40x40cm
designed by TI Lighting LAB

Ceiling lamp, dimensions 40x40cm, height 10cm, with high transmittance ceramic glass diffuser with 45° glued corners. DIFFUSE light emission.

☐ BV White



CERTIFICATIONS



LIGHT EMISSION

